## Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## Listing of Claims:

Amend claims 1-10 and add claims 11-14.

- 1. (Currently Amended) Synchronisation A synchronization device [[(1)]] for preparing an optical synchronisation synchronization signal in computer-controlled picture recordings recording of a motion picture camera [[with]] comprising
- a <u>signalling</u> <u>signaling</u> device for generating an optical <u>synchronisation</u> synchronization signal,

wherein the optical synchronisation synchronization signal of the synchronisation synchronization device [[(1)]] can be initiated by means of [[the]] a computer controlling the picture recordings, recording and wherein

## characterised-in-that

the <u>signalling</u> <u>signaling</u> device has a number of optical <u>signalling</u> <u>signaling</u> elements [[(2)]] for generating optical <u>synchronisation</u> <u>synchronization</u> signals.

2. (Currently Amended) <u>Synchronisation</u> <u>The synchronization</u> device according to claim 1 <u>characterised in</u> that <u>wherein</u> the optical <u>signalling</u> <u>signalling</u> elements [[(2)]] of the <u>signalling</u> <u>signalling</u> device are arranged in the form of a digital display for <u>letters and/or numbers</u> symbols.

- 3. (Currently Amended) Synchronisation The synchronization device according to claim 1 [[or 2]] characterised in that wherein the optical signalling signaling elements [[(2)]] of the signalling signaling device are arranged in the form of a matrix.
- 4. (Currently Amended) <u>Synchronisation</u> <u>The synchronization</u> device according to <u>one of claims 1 to 3</u> <u>characterised in that</u> <u>claim 1, 2 or 3 wherein</u> the optical <u>signalling signaling</u> elements [[(2)]] are formed as lightenitting lighting elements [[(2)]].
- 5. (Currently Amended) <u>Synchronisation</u> <u>The synchronization</u> device according to one of claims 1 to 4 characterised in that claim 1, 2 or 3 wherein the signalling signaling device is mounted in a housing, [[(10)]] wherein the optical signalling signaling elements [[(2)]] are visible on at least one surface of the housing (10).
- 6. (Currently Amended) <u>Synchronisation</u> <u>The synchronization</u> device according to claim 5 <u>characterised in</u> that wherein the housing [[(10)]] comprises [[a]] control electronics of the <u>signalling</u> <u>signaling</u> device and a control interface [[(11)]] for connection to [[a]] the computer.
- 7. (Currently Amended) <u>Synchronisation</u> <u>The synchronization</u> device according to claim 6 characterised in

that wherein the control interface [[(11)]] can be connected to a CAN bus system.

- 8. (Currently Amended) Synchronisation The synchronization device according to one of the preceding claims characterised in that claim 1, 2 or 3 wherein the optical signalling signaling elements [[(2)]] comprise light-emitting diodes.
- 9. (Currently Amended) **Synchronisation** The synchronization device according to claim 8 characterised in that wherein the optical signalling signaling elements comprise light-emitting diodes which are suitable for [[the]] controllable additive color mixing of the light generated by the optical signaling signaling elements [[(2)]].
- 10. (Currently Amended) <u>Synchronisation</u> <u>The synchronization</u> device according to one of the preceding claims characterised in that claim 1, 2 or 3 wherein the <u>synchronisation</u> synchronization device [[(1)]] has an interface [[(12)]] for connection of a light device [[(3)]] for the projection of an optical synchronisation signal.
- 11. (New) The synchronization device according to claim 2 wherein the symbols are selected from the group of signals consisting of letters and numbers.

- 12. (New) The synchronization device according to claims 1, 2 or 3 wherein the optical signaling elements comprise light-emitting diodes.
- 13. (New) The synchronization device according to claim 8 wherein the light-emitting diodes provide for color mixing.
- 14. (New) The synchronization device according to claims 1, 2 or 3 wherein the optical signaling elements provide for color mixing.
- 15. (New) A synchronization device for preparing an optical synchronization signal in a computer controlled picture recording, the device comprising a signaling device for generating an optical synchronization signal in response to a signal received from a computer controlling the picture recording.